Moorim PAPER
TEST REPORT

SCOPE OF WORK
California Proposition 65

REPORT NUMBER
RT26R-S1195-002

ISSUE DATE
Feb. 13, 2026

PAGES
5



Intertek Testing Services Korea Ltd.
Office: Tel : 031-8069-3708 Fax : 02-3409-0025 Web Site : intertek.co.kr
Seoul Lab. Address : 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea

※ You can verify the forgery and authenticity by the barcode at the end of this document.

TEST REPORT FOR MOORIM PAPER Report No.: RT26R-S1195-002
Date: Feb. 13, 2026

SECTION 1
CLIENT INFORMATION

APPILICANT : Moorim PAPER
ADDRESS : 1003, Namgang-ro,
Jinji-si, Gyeongsangnam-do, Korea

SECTION 2
DESCRIPTION OF SAMPLES

SAMPLE DESCRIPTION : The following submitted sample(s) said to be:-
NAME/TYPE OF PRODUCT : 비도공지(uncoated paper)
SAMPLE ID NO. : RT26R-S1195-002

SECTION 3
DATES TESTED

PERIOD OF TEST : Feb. 09, 2026 ~ Feb. 13, 2026
DATE OF ISSUE : Feb. 13, 2026

Approved by,

Nikkie Lee / Lab. Technical Manager

Authorized by,

Jade Jang / Lab. General Manager

Authenticity check

Intertek Testing Services Korea Ltd.
Office: Tel : 031-8069-3708 Fax : 02-3409-0025 Web Site : intertek.co.kr
Seoul Lab. Address : 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea

※ You can verify the forgery and authenticity by the barcode at the end of this document.

TEST REPORT FOR MOORIM PAPER Report No.: RT26R-S1195-002
Date: Feb. 13, 2026

SECTION 4
CONCLUSION

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details :

CALIFORNIA PROPOSITION 65 REQUIREMENT	RESULT
Total Lead (Pb) Content	See details enclosed
Total Cadmium(Cd) content	See details enclosed
Phthalate content (DBP, DEHP, BBP, DINP, DIDP & DNHP)	See details enclosed
Bisphenol A (BPA) content	See details enclosed

SECTION 5
TEST RESULTS

TEST ITEM	UNIT	TEST METHOD	MDL	RESULT
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5 Edition 1.0 : 2013, by acid digestion and determined by ICP-OES	0.5	N.D.
Lead (Pb)	mg/kg		5	N.D.

Intertek Testing Services Korea Ltd.
Office: Tel : 031-8069-3708 Fax : 02-3409-0025 Web Site : intertek.co.kr
Seoul Lab. Address : 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea

※ You can verify the forgery and authenticity by the barcode at the end of this document.

TEST REPORT FOR MOORIM PAPER Report No.: RT26R-S1195-002

Date: Feb. 13, 2026

TEST ITEM	CAS NO.	UNIT	TEST METHOD	MDL	RESULT
Phthalates					
Dibutyl phthalate (DBP)	84-74-2	mg/kg	With reference to IEC 62321-8 Edition 1.0 : 2017, by solvent extraction and determined by GC/MS	50	N.D.
Di(2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg		50	N.D.
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	mg/kg		100	N.D.
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	mg/kg		100	N.D.
Benzyl butyl phthalate (BBP)	85-68-7	mg/kg		50	N.D.
Di-n-hexyl phthalate (DNHP)	84-75-3	mg/kg		50	N.D.

TEST ITEM	UNIT	TEST METHOD	MDL	RESULT
Bisphenol A (BPA)	mg/kg	With reference to US EPA 3550C, determined by LC/MS or LC/MS/MS	0.1	N.D.

Notes : mg/kg = ppm = parts per million
< = Less than
N.D. = Not detected (<MDL)
MDL = Method detection limit

Intertek Testing Services Korea Ltd.
Office: Tel : 031-8069-3708 Fax : 02-3409-0025 Web Site : intertek.co.kr
Seoul Lab. Address : 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea

※ You can verify the forgery and authenticity by the barcode at the end of this document.

SECTION 6
TECHNICAL STAFF

#	STAFF NAME	AREA OF EXPERTISE
1	Jooyeon Lee	Senior Technician / INTERTEK TESTING SERVICES KOREA LTD.
2	Chano Kim	Senior Technician / INTERTEK TESTING SERVICES KOREA LTD.
3	Hayan Park	Senior Technician / INTERTEK TESTING SERVICES KOREA LTD.

SECTION 7
VIEW OF SAMPLE AS RECEIVED

PHOTOGRAPHS:



***** End of Report *****

Intertek Testing Services Korea Ltd.
Office: Tel : 031-8069-3708 Fax : 02-3409-0025 Web Site : intertek.co.kr
Seoul Lab. Address : 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea

※ You can verify the forgery and authenticity by the barcode at the end of this document.